







LEDON®

Playdale
Playgrounds

No. 302110

Supplied by



Specifications

Item 302110


Dimensions (cm): L 85 - W 38 - H 79

Space required: 285 x 238 cm

Seat height: 45 cm

Safety surface: IAW EN 1177

Age group: from 1 year




Faldunderlag: I overensstemmelse med EN 1177

Safety surface: In accordance with EN 1177

Fallschutzbelag: Gemäß EN 1177

Zone D'impact d'après norme EN 1177

Fundamento de caída segun norma EN 1177



		73111
4 pcs		10 x 50 BB
4 pcs		Ø 10
2 pcs		4040901
		400,10

Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5





Fig. 6





<u>Surfacing</u>	<u>Hole depth</u>	<u>Infill material</u>
Synthetic surfacing (wetpour or tiles):	530	Sub-base Material
Existing Turf:	550	Soil
Loose-fill (150mm deep):	500	Soil
Loose-fill (300mm deep):	400	Soil

In loose or sandy ground all hole width dimensions should be increased by 50%.

ADDITIONAL INFORMATION ONLY (Refer to: Pony Seesaw Installation Instruction)


Part No.	Qty	Description
Additional Parts: SPRX5	2	Springer Base Plates



Surface fixed foundations MUST be level. Separate foundations MUST be level with each other. (Maximum Gradient 1 in 50.)

Minimum Concrete Specification: C20/25 (20 N/mm² min. compressive strength)

Nominal Surfacing Depth (S) = 30mm (Allowance 30 - 60mm)



NOT TO SCALE