















Unit Specification		
 Equipment Dimensions	1.4m x 2.5m x 2.1m	 FHF
	1.0m	
 Overall Weight	106kg	 Heaviest Part
	13.0kg	
 Largest Part	1487mm x 754mm x 42mm	 Longest Part
	1.5m	
 Maximum Gradient	1 in 50	 Construction Space
	3.4m x 4.5m x 4.1m	
 Manpower Required	2 People	 Estimated Time
	7 Hours	
 Concrete Required	0.3m ³ SGF	 Concrete Required
	0.5m ³ SF	

Standard Foundation Plan - Plastic Slide




- A = 500mm (w) x 500mm (l) x 600mm (d)
- B = 300mm (w) x 300mm (l) x 400mm (d)
- C = 300mm (w) x 400mm (l) x 400mm (d)
- D = 300mm (w) x 300mm (l) x 600mm (d)

Standard Foundation Plan - Stainless Steel Slide



- A = 500mm (w) x 500mm (l) x 600mm (d)
- B = 300mm (w) x 300mm (l) x 400mm (d)
- C = 300mm (w) x 400mm (l) x 400mm (d)
- D = 300mm (w) x 300mm (l) x 600mm (d)

BS EN 1176 Impact Area - Plastic Slide



BS EN 1176 Impact Area - Stainless Steel Slide

