

## **Product technical sheet**

# **CLIMBOO WD1426**





## **Material specification**

- Construction made of the highest quality laminated, impregnated and double coated pine wood 90 x 90 mm without knots, secured from the top with polypropylene plugs,
- Metal anchors made of hot dip galvanized steel, protecting the wood from direct contact with the ground to prevent rot and to extend the product's life,
- Platforms made of durable anti-slip and waterproof HPL plate,
- Stainless steel screws and/or screws covered with plastic caps,
- Safe end caps made of polypropylene,




VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991





biuro@vinci-play.com info@vinci-play.com www.vinci-play.com











### **Guarantee**



30 year guarantee -Structural strength of steel and stainless steel components

Detailed information in the guarantee card



15

Structural failure of steel and stainless steel, for

10

10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

# Product technical sheet **CLIMBOO WD1426**

# **Product data**

Length	220 cm	
Width	87 cm	
Total height	170 cm	
Age group	3 - 14 years	
Number of users	4 kids	
Safety zone	18,2 m2	
Free fall height	99 cm	
The height of the platforms	56, 67, 83, 100 cm	
In accordance with norm EN	1176-1:2017	
Weight of the heaviest part	25 kg	
Dimensions of the largest part	90x90x165 cm	
Availability of spare parts	YES	
Installation time	2 h	

Data is subject to change without prior notice.

#### Additional information

- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited • entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of • jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep; •
- render is for reference only, the actual appearance of the equipment and its color may vary;

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz

29/07/2021

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com



# Surfaces according to EN 1176-1:2017


	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A,C) Particle size from 20 to 80	Particle size from 20	30	≤200
	to 80	40	≤300
woodchips (A,C) to 30	Particle size from 5	30	≤200
	40	≤300	
sand or gravel (A ( )	Particle size from	30	≤200
	0,25 to 8	40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		99


# Product technical sheet CLIMBOO WD1426

#### Amount of safe surface corresponding with free fall height:

HIC 99	18,2 m <sup>2</sup>
--------	---------------------

Data is subject to change without prior notice.





Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com